

ORIONE - SOLAS MED INFLATABLE LIFEJACKET

Approved according to Solas '74(83), MED 2014/90/EU as amended, Item MED/1.4, in accordance with IMO Msc 81(70) and Msc 200(80) as amended; Type Approval in compliance with TP14475E and TP1412E by Transport CANADA. nomics for comfortable wearing both when relaxing in your free time and when using heavy equipment at work

Small dimensions and great ergonomic design guarantee the best solution for ease of movements in totally safe working conditions. This lifejacket can be comfortably worn over work clothes or light uniforms. They feature durable cover, resistant webbing and high buoyancy through a double welded compartment chamber made in PU-coated Nylon. Adult size for users weighing from 40 kg on, nchest girth from 80 up to 125 cm, and minimun height of 155 cm.

Included Accessories: Retroreflective tapes, Whistle, Quick release buckle, Buddy system, Lifting loop. Available accessories: Spray hood, Crotch straps kit, PVC / ALU covers, Rearming kit.

Emergency light supplied separately. Each lifejacket is stored in a bag.

Triple activation system

Manual, oral and automatic activation (with different activation systems available: H.R. – UML - Hammar)

Available in:

IMPA CODE N. 330148 (MED), 330131 (H.K.) 330138 (U.K. DOT)

ORIONE 170

Cod. from L0160R01 to L0160R09

Buoyancy 170 N

CO2 gas activation cylinder 1x33 gr.

Weight Kg. 1,100

ORIONE 300

Cod. from L0160R21 to L0160R29

Buoyancy 300 N

CO2 gas activation cylinder 1x60 gr.

Weight Kg. 1,100



NEW



MODEL	ACTIVATOR			CODE
	UML	H.R.	HAMMAR	
ORIONE 170	•			L0160R01
		•		L0160R04
			•	L0160R07
	•			L0160R02
		•		L0160R05
			•	L0160R08
	•			L0160R03
		•		L0160R06
			•	L0160R09
ORIONE 300	•			L0160R21
		•		L0160R24
			•	L0160R27
	•			L0160R22
		•		L0160R25
			•	L0160R28
	•			L0160R23
		•		L0160R26
			•	L0160R29





150 BELT BAG ANTARES

Cod. L0160R04P

IMPA CODE N. 331171

Oral and manual activation

Belt bag model, adult size for users weighing from 40 kg on, chest girth from 80 up to 125 cm, and minimum height of 155 cm.

Performance level 150

CO2 gas activation cylinder 1x33 gr.

Weight Kg. 0,700. Belt bag dimensions cm 25 x 16 x 8



ORIONE POUCH 150 N

Automatic Inflatable Lifejacket type

Manual Inflatable Lifejacket type

Cod. L0160R04P

Cod. L0160R04P-M

Thanks to its very small dimensions and the great fitting features it is the ideal solution if you need to work in an emergency situation. Double compartment split by a PU membrane. Twin chambers. Sprayhood included. Manual and automatic activation. Colour: navy blue pouch, orange chamber, orange sprayhood. Adult size for users weighing from 43 kg on, chest girth up to 175 cm and minimum height of 155 cm. Dimensions: waist pouch 22x16x8 cm (approx). Weight Kg. 1,250 (approx).

Miscellaneous: - SOLAS approved water activated light. Whistle - Buddy line 1200 mm (approx) - Tensile strength of waist belt 200-300 kg - Sprayhood - Performance level 150. CO2 gas activation cylinder 1x33 gr. - Weight Kg. 0,830.- Each lifejacket is stored in a textile bag



ORIONE HDLP 275 N

Cod. L0160R24-HDLP

The particular design with very reduced dimensions and the great fitting features is the ideal solution if you need to work in an emergency situation. Double compartment split by a PU membrane. Twin chambers. Sprayhood included. Hazardous Duty Lifejacket Preserver (automatic type). Triple activation system: Manual, oral and automatic activation. Colour: navy blue cover, yellow chamber. Adult size for users weighing from 43 kg on, chest girth up to 175 cm and minimum height of 155 cm.

Weight Kg. 1,5 (approx)

Miscellaneous: - SOLAS approved water activated light.- Whistle - Buddy line with toggle - Rescue stop - Sprayhood with transparent visor - Steel buckle - Tensile strength of waist belt 200-300 kg - User's guide/instruction



NEW

PVC COVER INFLATABLE FOR LIFEJACKET

Cod. L0160R20D

This type of cover can be easily applied to your C&C inflatable lifejackets. It will make the device easier to wash and more protected from liquids used at work. Suitable for ANTARES 150, ANTARES 300, ORIONE 170 and ORIONE 300



NEW

ALUMINIZED COVER FOR INFLATABLE LIFEJACKET

Cod. L0160R20C

This cover is designed to improve the protection of the device from sparks and small hot parts during particular work operations. It can also increase the heat protection. Suitable for ANTARES 150, ANTARES 300, ORIONE 170 and ORIONE 300



SPRAYHOOD FOR INFLATABLE LIFEJACKET

Cod. Z0160R0501

NEW

This item improves the protection of the user airways from water spray due to the splashing of waves and/or heavy rain. Especially recommended in rough water conditions. Suitable for ANTARES 150, ANTARES 300, ORIONE 170 and ORIONE 300. According to ISO 12402-8



SPARE PARTS FOR INFLATABLE LIFEJACKETS

ACTIVATION SYSTEMS:

HAMMAR

Hydrostatic activator

REARMING KIT: CAP+BODY

Cod. ZHAM01

CAP+BODY for HAMMAR activator



HALKEY ROBERTS

Hydrosoluble activator

REARMING KIT: TABLET

Cod. ZHR05

Hydrosoluble tablet for H.R. activator



UML MK5

Hydrosoluble activator

REARMING KIT: CARTRIDGE

Cod. ZUM14

MK5 UML Hydrosoluble cartridge



UML PROSENSOR ELITE

Hydrosoluble activator

REARMING KIT: CARTRIDGE

Cod. ZUM19

PRO-SENSOR ELITE UML cartridge



Cod. ZUM03

PRO-SENSOR UML Hydrosoluble cartridge



INFLATABLE LIFEJACKET CO2 CYLINDERS

Spare CO2 cylinder for inflatable lifejacket

Cod. ZNI01 33 gr. CO2 cylinder

Cod. ZNI03 24 gr. CO2 cylinder

Cod. ZNI05 38 gr. CO2 cylinder

Cod. ZNI07 16 gr. CO2 cylinder

Cod. ZNI02 30 gr. CO2 cylinder

Cod. ZNI04 60 gr. CO2 cylinder

Cod. ZNI06 28 gr. CO2 cylinder

